

colofac prescription

Data from controlled clinical trials have not found a difference from placebo in the alleviating stomach pain in people with IBS. Atropine Hyoscyamine Quaternary ammonium compounds: Mebeverine hydrochloride a derivative of Mebeverine is reported as an ingredient of Colofac in the following countries: . From Wikipedia, the free encyclopedia. Available for Android and iOS devices. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. It is metabolized mostly by esterases , and almost completely. It has not been tested in pregnant women nor in pregnant animals so pregnant women should not take it; it is expressed at low levels in breast milk, while no adverse effects have been reported in infants, breastfeeding women should not take this drug. P Pharmacy medicines US: It was first registered in Mebeverine is a drug used to alleviate some of the symptoms of irritable bowel syndrome. In case of missed dose(s), the patient should continue with the next dose as prescribed; do not take the missed dose(s) in addition to the regular dose. Children under 10 years: Colofac should not be used in children aged 3 years and younger as no clinical data are available. For children from years Colofac mg ?Posology and method of ?Special warnings and ?Pregnancy and lactation. Sep 27, - Dependence risk: low. Is Mebeverine available as a generic? yes. Is Mebeverine available on prescription only? no. User information. Onset of effect: within 60 minutes. Duration of action: up to 8 hours. Stopping this medicine: mebeverine can be safely stopped when no longer needed. Special precautions. with the gastrointestinal condition called irritable bowel syndrome. Mebeverine works on certain muscles in the wall of your intestines, causing them to relax. This eases the pain and cramps. Mebeverine is available on prescription and you can also buy some packs from a pharmacy, without a prescription. Advertisement ?About mebeverine ?Before taking mebeverine ?How to take mebeverine. This medicine has been prescribed for you. Do not pass it on to others. It may harm them, even if their symptoms are the same as yours. If any of the side effects becomes serious, or if you notice any side effects not listed in this leaflet, please tell your doctor or pharmacist. In this leaflet: 1 What Colofac Tablets mg are and. Oct 20, - Mebeverine is licensed for use in adults and children over 10 years of age. (The tablets and liquid are not licensed for use in children under 10, and the modified-release capsules are not licensed for use in children under) However, specialists do sometimes prescribe mebeverine for intestinal spasms in. On this page about Colofac you will find information relating to side effects, age restrictions, food interactions, whether the medicine is available at a government subsidised Colofac is a medicine containing the active ingredient(s) mebeverine. 10 sample pack: Prescription Only Medicine, or Prescription Animal Remedy. Colofac Tablets - Consumer Medicines Information leaflets of prescription and over-the-counter medicines. symptoms of irritable bowel syndrome. Ask your doctor if you have any questions about why this medicine has been prescribed for you. Your doctor may have prescribed it for another reason. This medicine is available only with a doctor's prescription. Before you take. Colofac. When you must not take it. Do not take Colofac. Mebeverine is a drug used to alleviate some of the symptoms of irritable bowel syndrome. It works by relaxing the muscles in and around the gut. Mebeverine (Colofac) mg, U.K.. Contents. [hide]. 1 Medical use; 2 Adverse effects; 3 Mechanism of action; 4 History; 5 Availability; 6 References. Medical use[edit].Trade names?: ?Colofac, Duspamen, Duspatalin. What drug interactions could you experience? Mebeverine has no known drug interactions. However, to avoid potential adverse drug interactions, always inform your doctor or Clicks pharmacist what prescription and non-prescription medications, vitamins, nutritional supplements and herbal products you are taking or.