

## prescription drugs lipitor

Adjustments should be made at intervals of 4 weeks or more. Avoid eating foods that are high in fat or cholesterol. You may not notice any change in your symptoms, but keep using the medication as directed. Call your doctor right away if you have unexplained muscle pain, tenderness, or weakness especially if you also have fever, unusual tiredness, and dark colored urine. Your doctor may occasionally change your dose to make sure you get the best results.

Over-the-counter dosages are typically lower than prescription-strength. Mary Tinetti, a geriatrician at Yale University. Your blood work will help your doctor determine how long to treat you with Lipitor. Many drugs that have gained over-the-counter status, like acid reflux meds and pain relievers remember when you needed a prescription for ibuprofen? Subscribe to receive email notifications whenever new articles are published. Bristol-Meyers Squibb has also tried to market an over-the-counter statin, Pravachol. Avoid eating foods that are high in fat or cholesterol. Lipitor will not be as effective in lowering your cholesterol if you do not follow a cholesterol-lowering diet plan. Lipitor is only part of a complete program of treatment that also includes diet, exercise, and weight control. Follow your diet, medication, and exercise routines ?Lipitor ?Lipitor (FDA) ?Lipitor Drug Interactions ?Lipitor Side Effects in Detail. Oct 6, - Lipitor (Atorvastatin) is prescribed to lower cholesterol and triglycerides in the blood. Jul 31, - Patients taking LIPITOR should be advised that cholesterol is a chronic condition and they should adhere to their medication along with their National Cholesterol Education Program (NCEP)-recommended diet, a regular exercise program as appropriate, and periodic testing of a fasting lipid panel to. Lipitor passes into breast milk and could harm a nursing baby. Breastfeeding while taking Lipitor is not recommended. Our Lipitor Side Effects Drug Center provides a comprehensive view of available drug information on the potential side effects when taking this medication. This is not a complete list of side effects and. See risks and benefits. Learn about CELEBREX (celecoxib) Capsules, a prescription treatment for arthritis symptoms and the CELEBREX Savings Card. Doctors prescribe the cholesterol drug Lipitor to prevent heart attack and stroke. Studies show the drug to be effective but also to carry serious risks. What is Lipitor used for? Lowers cholesterol. Lipitor (atorvastatin) improves your cholesterol levels and is a common first treatment for people with high cholesterol or heart disease. Lipitor Quick Facts. Has a lower-cost generic available (atorvastatin). Requires a prescription to use. Drug Class is statins. What is atorvastatin? Atorvastatin oral tablet is a prescription drug. It's available as a brand-name drug called Lipitor. It's also available in its generic form. Generic drugs usually cost less. In some cases, they may not be available in every strength or form as the brand-name version. Jul 18, - The FDA has required that some prescription and over-the-counter (OTC) drugs taken by mouth include warnings against drinking grapefruit juice or eating grapefruit while taking the drug, Huang says. Here are Some statin drugs to lower cholesterol, such as Zocor (simvastatin) and Lipitor (atorvastatin). Aug 15, - tell your doctor and pharmacist if you are allergic to atorvastatin, any other medications, or any of the ingredients in atorvastatin tablets. Ask your pharmacist for a list of the ingredients. tell your doctor and pharmacist what prescription and nonprescription medications, vitamins, nutritional supplements, and.