

is valium prescription drug

[\[PDF\] lamisil tablet prescription](#)

[\[PDF\] orlistat ratiopharm wer hat erfahrung](#)

[\[PDF\] generic for cozaar 50mg](#)

[\[PDF\] viagra online express shipping](#)

[\[PDF\] price of differin](#)

[\[PDF\] side effects from generic lexapro](#)

[\[PDF\] ambien sale uk](#)

Mar 26, issue of New York Subscribe! Skip to content , or skip to search. They differ from one another in potency and duration; those that enter your brain most quickly Valium and Xanax can make you the most high. Flip through the Booklets. Prescriptions for benzodiazepines have risen 17 percent since to nearly 94 million a year; generic Xanax, called alprazolam, has increased 23 percent over the same period, making it the most prescribed psycho-pharmaceutical drug and the eleventh- most prescribed overall, with 46 million prescriptions written in Painkillers , depressants and antidepressants are responsible for more overdose deaths in the United States than cocaine, heroin, methamphetamine and amphetamines combined. In their generic forms, Xanax is prescribed more than the sleeping pill Ambien, more than the antidepressant Zoloft. Sign the pledge and lead the way to a drug-free life. Prozac, Paxil, Zoloft and Celexa are some of the commonly used antidepressants. These drugs, which slow down your brain and nervous system functions, include Xanax, Zyprexa, Amytal, Seconal, Valium and many others. Diazepam is used to treat anxiety, alcohol withdrawal, and seizures. It is also used to relieve muscle spasms and to provide sedation before medical procedures. This medication works by calming the brain and nerves. Diazepam belongs to a class of drugs known as benzodiazepines. ?Diazepam ?What conditions does Valium ?WebMDRx: valium ?Valium oral. Jan 31, - MISUSE OF THIS MEDICINE CAN CAUSE ADDICTION, OVERDOSE, OR DEATH, especially in a child or other person using the medicine without a prescription. Fatal side effects can occur if you use Valium with opioid medicine, alcohol, or other drugs that cause drowsiness or slow your breathing. Valium, the trade name for diazepam, earned its reputation as an anti-anxiety agent in the s. At that time, the drug was so popular that it became a cultural phenomenon, representing the country's new faith in psychiatric medication. Today, the medical community has become more aware of the abuse potential of. As with other agents that have anticonvulsant activity, when Valium is used as an adjunct in treating convulsive disorders, the possibility of an increase in the frequency and/or severity of grand mal seizures may require an increase in the dosage of standard anticonvulsant medication. Abrupt withdrawal of Valium in such. Jul 25, - function at home, school, and work. Treating anxiety often involves talk therapy and antidepressant medications. Benzodiazepines are another class of medications used to help curb anxiety. Two commonly prescribed benzodiazepines are Valium and Xanax. These drugs are similar, but not exactly alike. ?How they work ?Interactions ?Warnings. What is Valium (diazepam)?; What brand names are available for Valium (diazepam)?; Is Valium (diazepam) available as a generic drug? Do I need a prescription for Valium (diazepam)?; What are the uses for Valium (diazepam)?; Can a person become addicted to Valium (diazepam); What are the side effects of Valium. Diazepam, first marketed as Valium, is a medication of the benzodiazepine family that typically produces a calming effect. It is commonly used to treat a range of conditions including anxiety, alcohol withdrawal syndrome, benzodiazepine withdrawal syndrome, muscle spasms, seizures, trouble sleeping, and restless legs Biological half-life?: ?20 hours (36 hours. Jump to What side effects are possible with this medication? - Alcohol use: Alcohol should be avoided when you are taking diazepam. Combining alcohol with this medication can cause an increase in the side effects of the diazepam, including slowing down your breathing or causing heart failure. People who have an. Nov 6, - Yes, Valium can be addictive. In fact, if you take a larger dose of Valium than prescribed, take it more often than prescribed, or for a longer time than your doctor tells you (often 4 months max), you may develop tolerance to the drug, which means that you may need to take higher doses to get the same effect. Jun 23, - Valium is the brand name for an anti-anxiety medication which contains diazepam, a Schedule IV controlled substance. Because people can abuse diazepam to get high, Valium is only available by prescription and can be used in tablet, gel and injectable form. More here on Valium costs, prescription.