

propranolol bipolar disorder

Anyone taking Inderal should consider possible needed precautions or interactions with other medications. By kconnell , Wed, December 02, Patients taking Inderal should not suddenly discontinue use as sudden stoppage can cause chest pain or even heart attack. This reduces heart rate and blood pressure causing calmness and relaxation. Side effects of Inderal include:. Inderal is a non selective beta blocker which means it blocks the action of both epinephrine and norepinephrine on adrenergic receptors. Please see our Legal Statement for further information. February 13, Subscribe. Myo-Inositol provides an effective treatment for depression, obsessive-compulsive disorder, and panic disorder Strengths: The publication of this information does not constitute the practice of medicine, and this information does not replace the advice of your physician or other health care provider. Are you currently taking or have you ever been prescribed anti-depressants?Six patients with the diagnosis of acute mania were treated with high doses of the beta-adrenergic blocking agent propranolol. One of Adolescent; Adult; Aggression; Bipolar Disorder/drug therapy*; Blood Pressure; Electrocardiography; Female; Heart Rate/drug effects; Humans; Male; Middle Aged; Paranoid Disorders. The term mood-stabilizer distinguishes the aforementioned drugs from those that have been used to treat bipolar disorder but have the potential to worsen certain aspects of the disease, such . For example, Li-induced tremor can sometimes be controlled with the use of low-dose beta-blockers (propranolol or metoprolol). Article: Topic: 40 - Bipolar Disorders HOW LOW DOSE OF PROPRANOLOL CAN INDUCE A MANIC EPISODE? CASE REPORT OF AN UNEXPECTED SIDE EFFECT M. Eslami Shahrabaki 1, F. Estilae 1, A. Mehdizadeh Zare Anari 1, A. Eslami Shahrabaki 2 1 Kerman Medical of University, Kerman, 2 Tehran. While doing research about my anxiety with medications I stumbled on an article about akathisia while taking antipsychotics. What really caught my attention was the description of symptoms pacing, unable to sit, rubbing hands together, suicidal thinking from the distress, ability to sleep but returning of symptoms after you. Feb 21, - Anyone ever been given Propranolol for anxiety? I told my psych lady I was quitting my Lamictal due to acne issues from it so she. Inderal is the brand name for the drug Propranolol. It is used in the treatment of anxiety, panic attacks and post traumatic stress disorder (PTSD). It is also used to treat stage fright and because of this it is on the list of banned substances for Olympic athletes. Inderal is also being studied for use in aggressive behavior in. Read More. Avatar n tn My husband, who has Type I Diabetes, was recently diagnosed with Bipolar Disorder II. His doctor prescribed Oxcarbazepine (daily) and Propranolol to use as needed for anxiety/mania attacks--but I see Oxcarbazepine AND diabetes drugs listed in the "caution" section of interactions for Propranolol. Jun 9, - People with bipolar disorder are less likely to feel the need to take their medication when they are feeling high. In such cases If dose reductions are either not possible or don't work, drugs such as propranolol or atenolol (both of these drugs are beta-blockers) can be used at low doses to treat the problem. Oct 10, - as likely to be hospitalized for a mood disorder such as major depression or bipolar disease, compared to people treating their high blood pressure with so-called angiotensin antagonists, researchers report. Commonly prescribed beta-blockers include propranolol, metoprolol, and atenolol, for example. Posts suggesting alternative medicinal treatments for bipolar disorder will be removed unless links to peer-reviewed articles are provided. We want /r/bipolar to be a safe reliable place to get information and ethically we cannot advocate any treatment that is not backed by hard science. Any post coming from.